

The AACR logo features the letters 'AACR' in a bold, sans-serif font. The 'A' and 'C' are black, while the 'A' and 'R' are green. A horizontal line is positioned below the letters.

American Association
for Cancer Research®

FINDING CURES TOGETHER®

The PROJECT GENIE logo consists of the words 'PROJECT GENIE' in a white, sans-serif font, set against a solid green rectangular background. A registered trademark symbol (®) is located at the top right of the word 'GENIE'.

Genomics Evidence Neoplasia Information Exchange

GENIE BPC PROSTATE 1.0-PUBLIC COHORT

MARCH 2025

AACR.org/GENIE • [#AACRGENIE](https://twitter.com/AACRGENIE)

© American Association for Cancer Research

- The GENIE BPC Prostate 1.0-public dataset contains 1,116 Prostate patients from MSKCC, DFCI, VICC, and UHN.
- **Data Access:**
 - A subset of the data is available through [cBioPortal](#). Both the genomic and clinical (phenomic) data can be evaluated in cBioPortal with opportunities for data exploration and visualization using a user-friendly interface.
 - The complete, post-processed data are available on [Synapse](#).
- **What is included in GENIE BPC data?**
 - **Genomic Data:** Clinical-grade next-generation sequencing data for each patient from the GENIE Registry. Genomic profiling was performed between 2013 and 2018; patients were aged 37-88 at the time of genomic sequencing.
 - **Cancer Diagnosis:** Prostate cancer diagnosis is considered the index tumor for this patient cohort. There are data about other cancer diagnoses antecedent and subsequent to the prostate cancer.
 - **Prostate cancer-specific fields:** includes medical oncologist assessment of hormone/castrate/androgen-independent status, assessment of change in PSA level, PSA and Testosterone lab values, highest Gleason score recorded on pathology report, margin status on excision, and specialized histologic pattern across all prostate specimens, were also collected.
 - **Pathologic Information:** Each pathology specimen from diagnosis through death or last follow-up is curated with specimen type, site, and histology.


Release Notes

- **Treatment Histories:** All anti-neoplastic systemic therapies—intravenous and oral chemotherapies—are included in the data set. Dates are provided as intervals from diagnosis to start and stop of each drug. Investigational drugs are masked; no dosing information is included.
- **Imaging Information:** Each CT, MRI, PET-CT scan from diagnosis through death or last follow-up is curated for the presence or absence of cancer and an evaluation of whether the cancer was stable, responding, or progressing. These data are used to compute progression-free survival-imaging (PFS-I). Sites of tumor involvement are also recorded.
- **Medical Oncologist's Evaluations:** Medical oncology notes (1/month) have been curated to ascertain the presence or absence of cancer and whether the cancer was stable, responding, or progressing. These data are used to compute progression-free survival-medonc (PFS-M) from diagnosis through death or date of last follow-up.
- **Overall Survival:** Overall survival is based on death, with censoring at the date last known alive. Ascertainment of death varies by institution.
- **Additional Relevant Biomarkers:** Information about select biomarkers not included on the NGS panels, including PSA, Testosterone, PD-L1, MSI and MMR are also curated.
- **Patient-Reported Outcomes:** No patient-reported outcomes are available in this dataset.
- **Date Masking:** Exact dates are masked to preserve confidentiality; however, date intervals are available, allowing calculation of event times such as diagnosis, treatment start, treatment end, PFS-I, PFS-M, and OS.

Release Notes



- **Analytical Data Guide:** A more comprehensive overview of the data can be found in the data guide, and a description and location of the variables collected can be found in the variable synopsis spreadsheet.
- **Other Resources:** There is a dedicated [project wiki](#) that describes each of the files.
- **Training Videos:**
 - Demo of GENIE Data on the Synapse and cBioPortal Platforms: [here](#)
 - BPC- specific cBioPortal video training playlist: [here](#)
- **PRISSMM™:** the BPC PANC dataset uses the PRISSMM™ system licensed and enhanced by Memorial Sloan-Kettering Cancer Center, Memorial Hospital for Cancer and Allied Diseases, and Sloan-Kettering Institute for Cancer Research (collectively “MSK”) is for informational and research purposes only. The content is not intended as a substitute for professional medical advice, diagnosis, or treatment. Original system and improvements © 2019-2022 Dana-Farber Cancer Institute, Inc. Additional functionality and enhancements © 2023 MSK. All rights reserved. Additional information can be found in the analytic data guide and information about licensing PRISSMM™ can be obtained by emailing PRISSMM@mskcc.org

GENIE BPC Data Model




PRISSMM™ is licensed from the Dana-Farber Cancer Institute.

BPC Prostate 1.0-public: Cohort



BPC Prostate 1.0-public: Demographics

Age at Diagnosis



Sex


	#	Freq
Male	1,113	99.7%
Unknown	3	0.3%

Primary Race

	#	Freq
White	959	85.9%
Black	61	5.5%
Unknown	47	4.2%
Asian	27	2.4%
Other	20	1.8%
Not collected	2	0.2%

BPC Prostate 1.0-public:

Medical Oncologist Assessment of Hormone/Castrate/Androgen-Independent Status




Gleason Score at Time of Sample Acquisition

	#	Freq
NA	449	40.1%
Gleason score 7	254	22.7%
Gleason score 9	251	22.4%
Gleason score 8	106	9.5%
Not documented in medical record	28	2.5%
Gleason score 10	19	1.7%
Gleason score 6	13	1.2%
Gleason score 4	1	<0.1%

BPC Prostate Cohort: Sites of Metastases at Diagnosis

Location of Metastases (Stage IV patients)



BPC Prostate Cohort: Detailed Clinical Genomics

Mutated Genes

Gene	# Mut	#	Freq
TP53	316	309	25.2%
KMT2D	141	116	9.7%
FOXA1	126	116	12.7%
ATM	109	92	7.5%
SPOP	95	93	9.9%
PTEN	90	85	6.9%
KMT2C	89	71	9.7%
BRCA2	85	72	6.0%
APC	81	76	6.2%
CDK12	81	50	5.3%
AR	80	61	5.1%
CTNNB1	50	49	4.0%
MGA	49	43	5.3%
SETD2	49	42	3.5%
FAT1	48	43	4.7%
TET2	48	34	2.8%
PIK3CA	46	42	3.4%
ASXL1	45	42	3.5%


Structural Variants

Gene	# SV	#	Freq
TMPRSS2	328	299	30.8%
ERG	245	244	25.6%
TP53	17	15	1.3%
FOXA1	14	14	1.6%
ETV1	12	11	0.9%
PTEN	11	11	0.9%
KMT2D	9	8	0.7%
KMT2C	7	7	1.0%
ETV4	8	6	1.0%
APC	6	5	0.4%
AR	6	5	0.4%
BRAF	6	5	0.4%
EP300	5	5	0.4%
FGFR1	5	5	0.4%
PIK3R1	5	5	0.4%
SETD2	5	5	0.4%
ACPP	4	4	NA
ASXL1	4	4	0.3%


Copy Number Alterations

Gene	Cytoband	CNA	#	Freq
AR	Xq12	AMP	159	13.6%
PTEN	10q23.31	HOMDEL	141	12.1%
KLLN	10q23.31	HOMDEL	20	9.5%
PRDM14	8q13.3	AMP	28	7.4%
PREX2	8q13.2	AMP	26	6.4%
MYC	8q24.21	AMP	65	5.6%
RUNX1T1	8q21.3	AMP	12	5.0%
AGO2	8q24.3	AMP	18	4.7%
ELOC	8q21.11	AMP	35	4.3%
RSPO2	8q23.1	AMP	10	4.2%
LYN	8q12.1	AMP	15	3.7%
ABL2	1q25.2	AMP	1	3.6%
DUSP4	8p12	HOMDEL	13	3.4%
BCL2L2	14q11.2	AMP	1	3.3%
KLHL6	3q27.1	AMP	1	3.3%
RECQL4	8q24.3	AMP	33	3.3%
RB1	13q14.2	HOMDEL	38	3.3%
CYSLTR2	13q14.2	HOMDEL	12	3.2%

BPC Prostate: Top 12 Mutated Genes



BPC Prostate: Clinically Actionable Genes



Actionable
Genes


Level 1
FDA-approved drugs

Level R1
Standard care

Chakravarty et
al., JCO PO 2017

BPC Prostate Cohort: Complete Treatment Histories

Number of cancer-directed drug regimens curated for each patient



Cancer-directed Drug Regimens (Includes regimens ever received irrespective of line or stage)

Regimen	# of patients
Docetaxel + Leuprolide/Degarelix	423
Docetaxel + Enzalutamide	304
Docetaxel + Abiraterone Acetate	287
Carboplatin + Docetaxel	152

Treatments by Patient


Treatment	#
Leuprolide	798
Bicalutamide	627
Abiraterone Acetate	438
Docetaxel	423
Enzalutamide	404
Degarelix	305
Investigational Drug	231
Cabazitaxel	215
Carboplatin	165
Radium RA 223 Dichloride	148
Sipuleucel T	73
Goserlin Acetate	65
Nilutamide	59
Olaparib	54
Triptorelin	38
Pembrolizumab	34
ADT LHRH agonist not specified	30

Treatments by Sample (pre- and post-)

Treatment	Pre / Post	#
Leuprolide	Pre	496
Leuprolide	Post	399
Bicalutamide	Pre	350
Bicalutamide	Post	348
Docetaxel	Pre	347
Docetaxel	Post	146
Abiraterone Acetate	Pre	321
Abiraterone Acetate	Post	187
Enzalutamide	Pre	287
Enzalutamide	Post	181
Cabazitaxel	Pre	215
Cabazitaxel	Post	47
Degarelix	Pre	209
Degarelix	Post	159
Investigational Drug	Pre	186
Investigational Drug	Post	97

Longitudinal Data Collection

Sample Patient





Disease Status by Medical Oncology Note

Disease Status by Imaging

Pathology Reports

BPC Prostate Cohort: High Quality Clinical Data




- PFS-M and PSF-I are available by regimen for those regimens containing greater than 10 patients


* Not adjusted
for delayed entry

BPC Prostate Cohort: OS by Stage

OS by Stage at Diagnosis



OS all stages= 157 months



* Not adjusted for delayed entry

GENIE BPC Acknowledgements



Shawn M. Sweeney
Kelli Rasmussen
Alyssa Acebedo
Jennifer Hoppe



Niki Schultz
Ben Gross
Ritika Kundra
Brooke Mastrogiacomio



Xindi Guo
Thomas Yu
Chelsea Nayan
Alex Paynter



Memorial Sloan Kettering
Cancer Center.

Gregory Riely
Deb Schrag
Julia Rudolph
Charles L. Sawyers
Hira Rizvi
John Phillip
Julian Schwartz
Marufur Bhuiya
Stu Gardos
Cynthia Chu
Shirin Pillai

Statistical Core
Kathy Panageas
Jessica Lavery
Samantha Brown
Hannah Fuchs
Axel Martin
Michael Curry



Dana-Farber
Cancer Institute

Ken Kehl
La'Tawnya Roby
Asha Postle
Kevin Haigis
John Orechia
Daniel Quinn
Simon Arango Baquero



Philippe Bedard
Celeste Yu
Samanta Del Rossi
Nitthusha Singaravelan
Demi Plagianakos
Alisa Nguyen
Nazish Qazi
Gunjan Srivastava
Sophie Cooke
Alisha Rizvi



Christine Micheel
Rhonda Potter
Ben Ho Park
Sanjay Mishra
Daniel Fabbri
Marilyn Holt
Neha Jain
Protiva Rahman
Li Wen
Yuanchu James Yang
Kate Mittendorf

Former BPC Team Members
can be found [here](#)